## FORM VIIA (Refer Rule 2.4.4(6)) REPORT OF THE FOOD ANALYST

Report No. 4/13-14

Certified that I Sreekumari.P. (name of the Food Analyst) duly appointed under the provisions of Food Safety and Standards Act, 2006 (34 of 2006), for the Revenue District Emakulam (name of the local area) have received from the Food Safety Officer, Vatakara Municipality a sample of Mango pickle bearing Code number and Serial sample) for analysis.

The condition of seals on the container and the outer covering on receipt was as follows:

Intact/damaged/missing (delete where inapplicable)

I found the sample to be Mango pickie (category of the sample) failing under item No.2.3.43 (Iv) of chapter 5 of 11/9/13 and completed on 17/9/13 (give date of starting and completion of analysis and has been analysed on given below/ was not in a condition fit for analysis for the reason given below.

Reasons:

Analysis report (Refer rule 2.4.2(5))

- (I) Sample Description (What it contains): Mango pickle
- (ii) Physical Appearance of sample/container: The sample consists of cut mango pickle packed in plastic pouch and covered with sealed company labeled paper pack.
- (III) Label declaration: People's Pickles. Mango pickles. 9) on and Veg symbol present. Mid by People's Pickles. Door No. 245-8, Pazhankave, Vatakara 4. Mig date 2 Sep 2013. Sest before 3 ingredients: Cut Mango pieces, Red chilly powder, Ginger, Fenugreek, Gingelly oii, Turmeric, Edible sait, Synthetic Vinegar, Asafotida & Mustard. Contains permitted class II preservatives (Sodium Benzoale)

No.	Quality Characteristics	Name of Method of test used	Results	Prescribed Standards as psr(a) provisions of the FSS Act, Rules and Regulations 2.3.43 (iv) read with
1	Mould growth	D.G.H.S Manual		3(1-z f (c (i))) of FSS Act
2	Test for metallic contamination	J.S.II.S Maridai	Absent	Absent
	Test for mineral acid	"	Negative	Negative
	Added synthetic food colour		Negative	Negative
	Oil soluble colours		Absent	Absent
epo	n (sample wise)		Absent	Absent

Signed this the seventeenth day of September 2013.

Address:

The Designated Officer,
Food Safety enforcement, Kozhikede,
IPD Building, Near TBS Book wall
Kottaparamba, Kozhikode.

Str/



Food Analysi

647514

GOVERNMENT OF KERAL